

(More than) 21 reasons to buy Continental



CONTINENTAL INTRODUCES OUR NEWEST REASONS TO BUY FROM YOUR ONE STOP SUPPLIER FOR GRILLES, REGISTERS AND DIFFUSERS.

AACB Series Aluminum, Adjustable Curved Blade Registers




- * 1, 2, 3 & 4 way air throw patterns
- * Multi-Shutter Dampers
- * Suitable for ceiling or wall mounting options
- * Individual, adjustable curved blade louvers increase deflection control
- Aluminum Construction
- * White (standard) or Mill finish

AACBG Series Aluminum, Adjustable Curved Blade Grilles



- * 1, 2, 3 & 4 way air throw patterns
- * Suitable for ceiling or wall mounting options
- Individual, adjustable curved blade louvers increase deflection control
- * Aluminum Construction
- * White (standard) or Mill finish

ECGE Series Egg Crate Grilles




- * Aluminum extruded frame with square core design
- * ½" x ½" x ½" core design * Available in sizes from 4" x 4" up to 48" x 48"
- * All Aluminum Construction

ECFG Series Egg Crate Filter Grilles



- * All Aluminum construction
- * ½" x ½" x ½" core design
- * Accommodates standard 1" filter (not included)
- Removable face with concealed hinges for easy frame installation Convenient access latches for changing filter
- * Mount flush with filter frame
- * Available from 8" x 8" to 48" x 48"

AVM/AHM Series
Aluminum Sidewall Ceiling Supply Diffusers



- * Adjustable deflection made easy with 3/4" spacing of the bars.
- * Suitable for Ceiling or sidewall mounting.
- * Multi-Shutter Damper
- * Pivoted Face Bars for easy positive setting

ARGH/ARGV Series Aluminum Sidewall /Ceiling Supply Grilles



- * Adjustable deflection made easy with 3/4" spacing of the bars.
- * Suitable for Ceiling or sidewall mounting.
- * Pivoted Face Bars for easy positive setting

ARGH-0/ARGV-0 Series
Aluminum Sidewall /Ceiling Supply Grilles



- * Fixed deflection at 0° with 3/4" spacing
- * Suitable for Ceiling or sidewall mounting.
- * All Aluminum Construction
- Horizontal or Vertical Face Bars Set Straight
- * Available from 4" x 4" to 48" x 48".

AHVG/AVHG Series Aluminum Sidewall /Ceiling Supply Grilles



- * Adjustable, extruded blades, double deflection.
- * Suitable for Ceiling or sidewall mounting.
- * Both front and rear blades may be set for desired deflection.

AFBG Series Aluminum Fixed Bar Grilles



- * Available with louvers permanently fixed at a 40° or 60° angle
- * Durable aluminum construction to prevent rusting and yet lightweight enough for easy installation.
- * Available in 4" x 4" to 48" x 48".

AFG Series Aluminum Filter Grilles




- * 1/2" and 1/3" spaced louvers available
- * Durable aluminum that prevents rusting
- * Accommodates standard 1" filter (not included)
- * Removable face with concealed hinges for easy frame installation
- * Easy access latches for changing of filter
- * Available from 8" x 8" to 36" x 36"

AFBFG Series Aluminum Fixed-Bar Filter Grilles




- Fixed louvers at a 60° angle
- Durable aluminum construction to prevent rusting and yet lightweight enough for easy installation.
- Removable face with concealed hinges for easy frame installation Available from sizes 8" x 8" to 48" x 48"

AE Series Aluminum Extrusion



- * We provide you with 5 different diffusion patterns, making our product effective in any setup.
- Available with a multi-shutter or opposed blade dampers or as a grille
- Face mount for easy installation.

ECGETB/ECGTB Extruded Egg Crate T-Bar Grille/ Egg Crate T-Bar Grille




- * All Aluminum Construction
- * ½" x ½" x ½" square core
- * Square Core design with a "U" Channel or Extruded Frame.
- * Overall dimensions of 23 3/4" x 23 3/4"
- * Mounts flush with T-Bar Ceilings

ECFGTB Egg Crate Filter-Grille T-Bar



- * ½" x ½" x ½" square grid core design
- * Removable face with concealed hinges for easy frame installation
- * Accommodates standard 20" x 20" x 1" Filter (not included)
- * Easy access latches for changing of filter
- * Overall size of 23³/₄" x 23 3/4", fitting standard T-Bar applications

AHVS/ABHV/AFPD Series High Volume, T-Bar Diffusers




- * 360° Diffusion
- * AHVS & AFPD have insulation options. ABHV is without insulation.
- * Three or Two tier diffuser providing high volume air flow
- * Damper adjustable through face
- * Formed Back Plenum

AOPD Series Aluminum Omnidirectional Plaque Diffuser



- * 360° air diffusion
- * Non-insulated, R1 & R6 insulation options
- Provides High Volume Air Flow
- * Mounts Flush in T-Bar applications
- * Removable face for easy damper adjustment.


ACS/ACS-4/APDS/A6500/A6800 Perforated T-Bar Diffusers & Grilles



- * ACS Perf Face, with option of R6 insulation.
- * A6800 Perf face, Built in Curved Blade Diffuser, R6 insulation option
- * APDS Perf Face, with options of 4-way Diffusion and R1/R6 insulation
- * ACS-4 Perf face, 4-way diffusion with option of R6 insulation
- * A6500 Return Air application, perf face, no insulation

ALL MADE OF DURABLE, REINFORCED ALUMINUM

A444/A244/A344 Surflo™ & Louvered T-Bars



- * A440 Patented Design, Superior Air Flow, 1-4 way diffusion, R1/R6 insulation options
- * A244/A344 Louvered face, 1/2" or 1/3" Louver Spacing, 4-way diffusion, R6 insulation option ALL MADE OF DURABLE, REINFORCED ALUMINUM

AFBG40TB/AFBG60TB Series Aluminum T-Bar Grilles




- * Durable, reinforced aluminum construction
- * Overall size 23 3/4" x 23 3/4" standard T-Bar Layins
- * Available with R6 formed fiberglass plenum
- * Fixed Face Bars at a 40° or 60° angle

ATB Series AluminumT-Bar Filter Grilles




- * ATL2 1/2" Louvered Face
- * ATL3 1/3" Louvered Face
- * AFBFG Fixed Bar Face
- * ATP Perforated Face
- * Sized for lay in ceiling
- * Accommodates standard 20" x 20" x 1" filter (Not included)
- * Removable face with concealed hinges for easy frame installation
- Convenient access latches for changing filter

ASMF Series Aluminum Surface Mount Frame



- Aluminum extrusion
- Can be used as ceiling access.
- * Allows installation of standard T-Bar diffusers in a plaster ceiling.
- * Accepts standard T-Bar diffusers for drywall surface mount applications.

Insulation Options



- * **PT106 & P106 -** Formed fiberglass plenum that is deep to improve its performance.
 - It has a 6" 14" diameter, prescored, back to add to it's flexibility on the job site.
- * R1 & R6- Insulated fiberglass blankets
- * **DB-** Increases the size of duct work that you can connect.

They all have a bonded foil vapor barrier that minimizes condensation, and they meet or exceed the R6 ratings and tests



SACB Series Adjustable Curved Blade Registers



- * 1, 2, 3 & 4 way air throw patterns
- * Multi-Shutter Dampers
- * Suitable for ceiling or wall mounting options
- * Individual, adjustable curved blade louvers increase deflection control
- * Steel Construction
- * White (standard) or Mill finish

SACBG Series Adjustable Curved Blade Grilles



- * 1, 2, 3 & 4 way air throw patterns
- * Suitable for ceiling or wall mounting options
- * Individual, adjustable curved blade louvers increase deflection control
- * Steel Construction
- * White (standard) or Mill finish



FBG40/FBG60 Series **Fixed-Bar Grilles**



- * Available with louvers permanently fixed at a 40° or 60° angle
 * Sturdy steel construction, easy installation.

FBFG Series Fixed-Bar Filter Grilles



- * Fixed louvers in a 60° angles* Sturdy steel construction, easy installation.



FBG40 TB Series FBG60 TB Series



- * Durable, reinforced steel construction
- * Overall size 23 3/4" x 23 3/4" standard T-Bar Layins
- * Available with R6 formed fiberglass plenum
- * Fixed Face Bars at a 40° or 60° angle


TB Series T-Bar Filter Grilles



- * TL2 1/2" Louvered Face
- * TL3 1/3" Louvered Face
- * FBFG Fixed Bar Face
- * TP Perforated Face
- * Durable, reinforced steel construction
- * Sized for lay in ceiling
- * Accommodates standard 20" x 20" x 1" filter (Not included)
- * Removable face with concealed hinges for easy frame installation
- * Convenient access latches for changing filter

DUCT BOARD PLENUM








Duct Board Plenum



Can be added to these parts






ered Series TL3-DBP ATL3-DBP



rf Series BP OBP









er Grille OTB-DBP OTB-DBP



GALVANIZED

3800 Series **Butterfly Damper**



- **Galvanized Steel Construction**
- Removable T-Bar Handle Included
- Snaps into 5400 Series Collar which can be installed in any "A" Series TB

3900 Series Radial Damper Series



- * Alternative to standard butterfly dampers.
- Operator adjustor is beveled to guide flat blade screwdriver in place. Snaps into 5400 Series Collar which can be installed in any "A" Series TB


COMPOSITES

P19/P20 Series **Round/Square Ceiling Diffusers**



- * Boot, Damper and Diffuser all in one makes quick & easy installation.
- Looks like aluminum
- Snap in face covers mounting screws giving it a finished look.
- Composite material is light weight, and does not rust.

PEC Series Plastic Egg Crate Return



- Economical & lightweight solution for return air application.
- 1/2" and 3/8" depth offered. Available in 1' x 1', 2' x 2' and 2' x 4'.



When you buy American products, it puts Americans to work.

Working Americans can buy your products.

So buying American helps you too.

Continental manufactures the broadest line of Residential & Light Commercial Registers, Grilles & Diffusers, in America.

